Image 3

excellent design to meet all your needs

Image 3 excellent design to meet all your needs

Image 3 Standard

Image 3 Washable

Image 3 XXL

Benefits of Image 3

Patient

— Extra low position to prevent falls

— Support for independent mobilisation

— Unique modern design hand in hand with high comfort

Staff

— Sophisticated ergonomics for comfortable handling

— Automatic preset functions

— Easy bed hygiene

Management

— Universal use – standard, bariatric and washable version

— Variable solution to meet clients' needs

— High standard of infection control

LINET | Image 3

Meeting everyone's needs

Image 3 WASHABLE

The bed is available in a version suitable for cleaning and disinfection in automatic hospital washing machines.

***WASH**able*
FRIENDLY

— The bed construction undergoes special technological modification that increases its service life and durability

— The cooperation with Miele during the bed's development is a guarantee of a reliable solution verified by tests under demanding criteria

Image 3 STANDARD

The modern design of the Image 3 bed will find its universal use in hospitals. By choosing the version, design and accessories, the bed can be adapted for a specific purpose. Due to the variability of its design, the Image 3 can also raise the standard of nursing facilities.

Image 3 XXL

The Image 3 in its bariatric version meets the growing demand for higher load beds.

— The bed has an wider mattress platform

— The load is increased to 320 kg

— Its construction and accessories are safe even for a higher load

***WI**der* BED

***HI**gher* LOAD

Excellent design

IMAGE 3

fully respects the ergonomic principles in healthcare. The functions respond to the needs of healthcare specialists and the patient's increased safety requirements. Control is intuitive and operation is easy and simple.

THE BED'S DESIGN IS TIMELESS

and applicable in a broad spectrum of health and nursing care.

HI-Tech
DESIGN

ELEGANT COMBINATION WITH ALUMINIUM

and wooden decors providing a modern look and calming effect.

COLOUR CONCEPT

offers great variability: metal or plastic parts in silver or white and the ends with side panelling in a decor of your choice. By choosing his own colours and version the customer will acquire a functional and totally individual model.

Image 3 with telescopic side rails and aluminium details

Image 3 with plastic bedends and single collapsible side rails

Patient in safe

Safety is a key parameter for the Image 3. All the bed's functions are set so the patient can not just feel but really be as safe as possible.

SAFE *Plus*
CONCEPT

EXTRA LOW POSITION

The minimum bed height can be a mere 28 cm. This unique function helps protect the client when asleep.

HYGIENE

Thanks to the shape and material of its construction, the bed and its design elements are easy to clean. This significantly eliminates the possible occurrence or transmission of nosocomial infections.



BRAKE ALARM

will warn the nursing staff of the need to brake the bed to ensure the client's maximum safety.

GO BUTTON

Thanks to this patented safety concept, the bed's controls lock after three minutes of inactivity. This prevents the bed from being moved accidentally.

Independence of movement

80 cm

Examination position – 80 cm

42 cm

Mobilisation position – 42 cm

28 cm

Sleeping position – 28 cm

3 STOP STRATEGY

The mattress platform height can be automatically set by the touch of one button to a position suitable for safe sleep, for comfortable mobilisation or for carrying out standard treatment.

ERGOFRAME®

The Ergoframe® system of positioning the mattress platform greatly removes the risk of pressure ulcers. The expansion of the space in the endangered pelvic area reduces the negative action of pressure and shearing force.

Bed with the Ergoframe®



Standard bed

SAFE SIDE RAILS

provide high protection and assistance thanks to their variable positioning. The mobilization handle facilitates safe bed exit.

Practical details

1 **5th castor**
facilitates comfortable handling in all spaces

2 **Bed extension**
is possible at three levels according to the client's individual needs

3 **Night light**
for the patient's safe orientation

4 **3D corner bumpers**
protect the bed in a horizontal and vertical direction

5 **Mattress platform width**
Optional mattress platform width 86 or 90 cm with removable plastic parts

6 **Linen shelf**
may also be used to store the supervisor panel

7 **Mechanical CPR**
for urgent use

Electric parameters

Power supply	230V/±10%
Maximum input	max 1,6A; 370VA
Protection against water and dust	IPX4 (IPX6 for Image 3 Washable)

Certificates

LINET is certified according to European standards and the quality system: ČSN EN 9001:2000 ČSN EN 13485:2003
The products are manufactured according to European standards for healthcare technology and hospital beds: ČSN 60601-1, ČSN 60601-2, ČSN 60601-4, ČSN 60601-2-52, ČSN EN ISO 14941 Image 3 Washable: AK-BWA:2009

Technical parameters	Image 3 (Standard, Washable)	Image 3 (XXL)
External dimensions	104×221 cm/99.8×220 cm	110×220 cm
Mattress platform dimensions	200 × 86 / 90 cm	200×100 cm
Clearance	13/15.5 cm	13 cm
Mattress platform height adjustment	28–80 cm	28–80 cm
Bed extension	10, 22, 30.5 cm	10, 22, 30.5 cm
Maximum mattress height	18 cm (split side rails); 17 cm (single collapsible side rails)	26 cm including the extender
Safe working load	250 kg	320 kg
Bed weight	140 kg including accessories	168 kg including accessories
Backrest tilt	0–70°	0–70°
Thighrest tilt	0–34°	0–34°
TR/ATR tilt	0–14°	0–14°

Image 3

Patient

- Extra low position to prevent falls
- Support for independent mobilisation
- Unique modern design hand in hand with high comfort

Staff

- Sophisticated ergonomics for comfortable handling
- Automatic preset functions
- Easy bed hygiene

Management

- Universal use – standard, bariatric and washable version
- Variable solution to meet clients' needs
- High standard of infection control

wissner-bosserhoff

LINET®

Members of LINET Group

LINET
Želevčice 5 | 274 01 Slaný | Czech Republic
tel.: +420 312 576 400 | fax: +420 312 522 668 | e-mail: info@linet.com | www.linet.com

LINET | Art. nº 9601-1045 | Edice 10/2015 | Different colour shades possible. Change of technical parameters reserved.